

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S99	3	S95 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:49
S98	1534	notif\$7 with initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:49
S96	42	firmware and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:49
S97	6	firmware with (updat\$3 upgrad\$3) and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:45
S95	197	(714/36).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:45
S94	4	after near5 (initialized loaded) with update same firmware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 12:21
S92	151	after near5 (initialized loaded) with update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 12:21
S93	7	S92 and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 12:20
S87	104	after near5 (initialized loaded) with version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 12:19
S91	14	S87 and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 12:18

S90	4113	S88 S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 12:17
S89	1240	(717/168-173).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 12:17
S88	2983	(713/1,2,100).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 12:17
S86	23	S79 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:48
S85	200414	(level version) near10 (current latest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:48
S83	4696	respon\$4 same determin\$5 same ((level version) near10 (current latest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:48
S84	1	S79 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:47
S82	39	S79 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:46
S81	4113	S78 S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:45
S80	1240	(717/168-173).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 10:45

S79	110	firmware with update same initializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:45
S78	2983	(713/1,2,100).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 10:44
S77	13	(US-5367686-\$ or US-5680623-\$ or US-6327676-\$ or US-5754785-\$ or US-6360362-\$ or US-6701357-\$ or US-5339450-\$ or US-6374353-\$ or US-6253258-\$ or US-5410707-\$ or US-3996449-\$ or US-6381741-\$ or US-6189050-\$).did.	USPAT	OR	ON	2005/04/27 10:35
S76	7	("6134628" "6148354" "6154837" "6188602" "6237091" "6357021" "6609127").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/22 11:00
S75	15	S71 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:34
S74	214	firmware with separate with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:34
S72	3	S64 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:33
S71	3082	S67 S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:25
S70	1	S66 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:25
S69	1922	(713/2,100).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 10:25

S68	7	S66 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:25
S67	1239	(717/168-173).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 10:23
S66	308	firmware with schedul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:23
S65	260	S64 not S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:23
S64	364	background near update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:19
S63	104	background adj update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:19
S62	130	\$thread\$ with firmware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:15
S60	13	\$thread\$ same firmware same update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:08
S61	13	("4135240" "5522031" "5600783" "5774643" "5875456" "6058489" "6061750" "6067635" "6085333" "6098119" "6243827" "6338126" "6728833").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/22 10:06
S59	360	\$thread\$ same firmware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/22 10:01

S58	2	("5339450").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 10:00
-----	---	-----------------	---	----	-----	------------------


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 10 of about **97,800** for **firmware update initialization version**. (0.37 seconds)

IBM - Advanced System Management Processor Firmware Update ...

 ... System Management Processor **Firmware Update** diskette **version 2.18** (DOS **update**

 ... Corrected NVRAM **initialization** problem. **Version 2.10**. Original release ...

www-1.ibm.com/support/docview.wss?rs=0&uid=psg1MIGR-4ESU4F&loc=en_US - 37k - [Cached](#) - [Similar pages](#)

IBM - Advanced System Management Processor Firmware Update ...

 ... xSeries 230 and Netfinity 5100 Advanced System Management **Firmware Update**
version 1.19 ... Version 1.16. Fixed UART **initialization** problem in self-test ...

www-1.ibm.com/support/docview.wss?rs=0&uid=psg1MIGR-4JKN8X&loc=en_US - 37k -

[Cached](#) - [Similar pages](#)

Davis | Support

 ... What's new in **version 1.50** 1. Fixes an LED **initialization** bug. ... This **firmware update** requires purchase of a standard CarChip (# 8210), ...

www.davisnet.com/support/drive/software.asp - 31k - Apr 25, 2005 - [Cached](#) - [Similar pages](#)

Dell PowerEdge 1750 PowerEdge RAID Controller 4/Di Firmware Update ...

 ... 6.0 Change History 1.0 Introduction This **firmware update** delivers bug fixes

 ... Fixed issues where the **firmware** would start a background **initialization** ...

ftp1.us.dell.com/scsi-raid/perc4di-pe1750-413O-A09.txt - 11k - [Cached](#) - [Similar pages](#)

Dell PowerEdge 2600, PowerVault 770N PowerEdge RAID Controller 4 ...

 ... PowerVault 770N PowerEdge RAID Controller 4/Di **Firmware Update Version: 2500**

 ... during a cache scrub at **initialization**, the cache is re-initialized. 2. ...

ftp1.us.dell.com/scsi-raid/perc4di-pe2600-250O-A15.txt - 11k - [Cached](#) - [Similar pages](#)

Spectrum24 AP 4121 Firmware Version 2.7

 ... enhanced **firmware Version 2.7** for the Spectrum24 AP 4121 Access Points. ...

firmware updates, more administration time is needed to **update** devices. ...

www.symbol.com/products/wireless/spectrum24_ap_4121_firmware.html - 33k - [Cached](#) - [Similar pages](#)

Imation IMR080020 Users Resource

 ... reason you need to flash your **firmware** unless you need to **update** your **firmware**
version. ... Plextor **firmware** v1.01. Improved disc **initialization** time. ...

www.knowplace.org/imr_dl.html - 25k - [Cached](#) - [Similar pages](#)

HP ScanJet 8200 Series Firmware Update 1.06 For Windows Download

 ... Description: HP ScanJet 8200 Series **Firmware Update Version 1.06** For Scanner

Initialization and DMA Timeout Errors.--Install this **update** only if you are ...

scanners.free-driver-download.com/HP/11388/HP-ScanJet-8200-Series-Firmware-Update--1.06-For-Windows.html - 13k - [Cached](#) - [Similar pages](#)

Open Drivers - Free Download HP ScanJet 8200 Series Firmware ...

 ... HP ScanJet 8200 Series **Firmware Update Version 1.06** For Scanner **Initialization**

 and DMA Timeout Errors. Install this **update** only if you are having the ...

www.opendrivers.com/driver/211388/hp-scanjet-8200-series-firmware-update-1.06-for-windows-free-download.html - 31k - [Cached](#) - [Similar pages](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 10 of about 194,000 for **firmware background update version**. (0.37 seconds)

Logic IO - RTCU Download page

 ... 4.50 includes full support for **background update** of application/**firmware** ...

 The package includes **Firmware** for the M11 Series **version 4.73, updated** ...

www.rtcu.dk/download_files.htm - 39k - [Cached](#) - [Similar pages](#)

Logic IO RTCU Newsletter April 18, 2005 Dear RTCU User, We are ...

 ... the unit is still executing the current application/**firmware (background update)**

 ... Also see sepearate release notes on **Firmware version 4.72** and the ...

www.rtcu.dk/Logic%20IO%20Newsletter%2003.htm - 14k - [Cached](#) - [Similar pages](#)
[\[More results from www.rtcu.dk \]](#)

D100 - RELEASE NOTE FOR D1X AND D1H FIRMWARE UPDATE VERSION 1.10

 ... The **background** colour of the menus has been changed to black. ... A User Manual

 Addenda has been produced for this **update**, which can be downloaded here. ...

www.nikon.com.sg/TechSupp/TechUpd/ TechDigi/D1X_H_Ver110/D1XH_Ver110.htm - 6k -

[Cached](#) - [Similar pages](#)

Dell PowerEdge 1750 PowerEdge RAID Controller 4/Di Firmware Update ...

 ... 6.0 Change History 1.0 Introduction This **firmware update** delivers bug fixes

 ... **Firmware** upgrade while controller is doing **background** I/O task **Firmware** ...

ftp1.us.dell.com/scsi-raid/perc4di-pe1750-413O-A09.txt - 11k - [Cached](#) - [Similar pages](#)

Weethet - Video - Yamakawa - Changing firmware ...

 ... Custom **Background** page for more information on how to modify the **firmware** for

 ... I'd rather see the English **version** (that's why I **updated** my **firmware**). ...

www.weethet.nl/english/video_yami715_updatefirmware.asp - 40k - Apr 25, 2005 - [Cached](#) - [Similar pages](#)

Firmware Update Procedure

 ... TEK DigiTel provides the following ways to **update** the V-SERVER **firmware**. ...

 DDA and have a **firmware version** of 2.8.3 or higher (**firmware version** is ...

support.tekdigitel.com/procedure/ firmware_update_procedure.htm - 12k - [Cached](#) - [Similar pages](#)

Addressing Systems Technical Support

 ... your machine Bootloader **version** before attempting to **update** the **firmware**. ...

 If you have a problem with printing white text on a colored **background**, ...

www.secapusa.com/addressing_support.html - 32k - [Cached](#) - [Similar pages](#)

Better Digital Photography

 ... They usually eliminate items from the foreground and **background** until something

 catches ... Click here to download Optio X **firmware update version 1.01** ...

www.betterdigitalphotography.blogspot.com/ - 34k - [Cached](#) - [Similar pages](#)

Pioneer GB Ltd Important Firmware Update (FAQ)

 ... Q1: What is the **background** of this **update** request? ... units with a **firmware**
version equal to or later than 1.60 do not require the **update** ...

www.pioneer.co.uk/uk/support_update.jsp?category=support/update/qa - 31k - [Cached](#) - [Similar pages](#)

Treo600Faq: Introduction to the Treo 600 Firmware

[Groups Home](#) | [Help](#) | [Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [New!](#) [more »](#)

firmware background update version

Search

[Advanced Groups Search](#)
[Preferences](#)Members: [Sign in](#)New users: [Join](#)[Google Groups](#)[Create a new group](#)[Recently visited](#) [\[clear\]](#)[comp.publish...hardware](#)[About Google Groups](#)**Searched all groups** Results 1 - 10 of 9,950 for **firmware background upc****Sorted by relevance** [Sort by date](#)**Airport card firmmware?**

... in the **background update** your cards **firmware** as well. (I can remember noticing it in the system.log after one of the airport-updates). I do have **version 9.42 ...**
comp.sys.mac.portables - Apr 1 2004, 1:32 pm by Jaco Schoonen - 1 message - 1 author

Further problems with Arescom NetDSL-800 MSN Firmware version 5.4. ...

BACKGROUND The Arescom NetDSL-800 router is the ... authentication vulnerability have been addressed through **firmware** updates. ... The newest **firmware** (v5.5.11) also ...
muc.lists.bugtraq - Oct 29 2002, 10:24 am by Justin Cervero - 1 message - 1 author

Problem writeing DVD+RW / upgrading PX708 DVD Writer firmware

... while the front of case has blue **background** and some ... I right here ?) I want to **update** the **firmware** ... ftp://ftp.berlios.de/pub/cdrecord/firmware/plexor/pxupdate ...
muc.lists.freebsd.current - Jun 11 2004, 5:59 pm by Ion-Mihai Tetcu - 1 message - 1 author

Which player should I purchase?

... about 5 seconds, with the Setup page being the **background**. ... In case there is a **firmware** with a higher number ... our list, you might consider to **update** your player. ...
rec.video.dvd.players - Sep 13 2003, 12:20 pm by seles-...@webtv.net - 8 messages - 4 authors

AlphaStation 200 firmware update problem

... up- date disk actually has you running the new **firmware**. ... there is a very brief black **background** display with the ... It looks like the **update** program wants monitor ...

comp.os.vms - May 31 2000, 4:28 pm by Shane.F.Sm...@Healthnet.com - 6 messages - 4 authors

TidBITS#575/09-Apr-01

... CD, and CD Copy formats, includes **background** burning and a ... or get them via the Software **Update** control panel, but note that the **firmware** updates on the ...
comp.sys.mac.digest - Apr 9 2001, 8:42 pm by Geoff Duncan - 1 message - 1 author

Firmware update terror

... to plonk it in, I set about updating the **firmware** to SRM. ... Boots NT off a CD


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

firmware background update version

SEARCH

THE GUIDE TO COMPUTING LITERATURE


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used firmware background update version

Found 46,272 of 863,039

Sort results by

relevance


[Save results to a Binder](#)

Display results

expanded form


[Search Tips](#)
☐ Open results in a new window

 Try an [Advanced Search](#)

 Try this search in [The Digital Library](#)

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

 1 [RFC1812: Requirements for IP Version 4 Routers](#)

June 1995 rfc, RFC Editor

 Additional Information: [full citation](#)

 2 [The HP AutoRAID hierarchical storage system](#)

J. Wilkes, R. Golding, C. Staelin, T. Sullivan

 December 1995 **ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles**, Volume 29 Issue 5

 Full text available: [pdf\(1.60 MB\)](#)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

 3 [The HP AutoRAID hierarchical storage system](#)

John Wilkes, Richard Golding, Carl Staelin, Tim Sullivan

 February 1996 **ACM Transactions on Computer Systems (TOCS)**, Volume 14 Issue 1

 Full text available: [pdf\(1.82 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


Configuring redundant disk arrays is a black art. To configure an array properly, a system administrator must understand the details of both the array and the workload it will support. Incorrect understanding of either, or changes in the workload over time, can lead to poor performance. We present a solution to this problem: a two-level storage hierarchy implemented inside a single disk-array controller. In the upper level of this hierarchy, two copies of active data are stored to provide f ...

Keywords: RAID, disk array, storage hierarchy

 4 [Pen computing: a technology overview and a vision](#)

André Meyer

 July 1995 **ACM SIGCHI Bulletin**, Volume 27 Issue 3

 Full text available: [pdf\(5.14 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)


This work gives an overview of a new technology that is attracting growing interest in public as well as in the computer industry itself. The visible difference from other technologies is in the use of a pen or pencil as the primary means of interaction between a user and a


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "(firmware <and> background <and> (update <or> upgrade)<in>metadata)"

e-mail

Your search matched 14 of 1152881 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)
[» New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search


☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

Select

Article Information



1. Rapid 3-D track reconstruction with the BABAR trigger upgrade

Bailey, S.J.; Brandenburg, G.W.; Felt, N.; Fries, T.; Harder, S.; Morii, M.; Oliver, J.N.; S E.;

Nuclear Science, IEEE Transactions on

Volume 51, Issue 5, Oct. 2004 Page(s):2352 - 2355

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(248 KB\)](#) IEEE JNL


2. Rapid 3D track reconstruction with the BABAR trigger upgrade

Felt, N.; Bailey, S.J.; Brandenburg, G.W.; Fries, T.; Harder, S.; Morii, M.; Oliver, J.N.; S E.;

Nuclear Science Symposium Conference Record, 2003 IEEE

Volume 2, 19-25 Oct. 2003 Page(s):1288 - 1291 Vol.2

[AbstractPlus](#) | Full Text: [PDF\(354 KB\)](#) IEEE CNF


3. The new gremlins of refurbishing complex step manufacturing tools for user-defined computerized automation

Barrett, D.E.;

Electronics Manufacturing Technology Symposium, 2000. Twenty-Sixth IEEE/CPMT In 2-3 Oct 2000 Page(s):352 - 367

[AbstractPlus](#) | Full Text: [PDF\(1264 KB\)](#) IEEE CNF


4. MUTABOR, a coprocessor supporting memory management in an object-oriented

Kaiser, J.;

Micro, IEEE

Volume 8, Issue 5, Oct. 1988 Page(s):30 - 46

[AbstractPlus](#) | Full Text: [PDF\(1252 KB\)](#) IEEE JNL


5. Algorithms and architecture for the L1 calorimeter trigger at D0 run IIb

Bystricky, J.; Calvet, D.; Le Du, P.; Perez, E.; Tarte, G.; Ban, J.; Evans, H.; Mitrevski, J Sippach, W.; Abolins, M.; Edmunds, D.; Laurens, P.;

Nuclear Science, IEEE Transactions on

Volume 51, Issue 3, June 2004 Page(s):351 - 355

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(152 KB\)](#) IEEE JNL


6. The DO central track trigger

Olsen, J.; Anderson, J.; Angstadt, R.; Babukhadia, L.; Bhattacharjee, M.; Blazey, G.; B Connolly, B.; Cooke, M.; Desai, S.; Evans, D.; Grannis, P.; Grunendahl, S.; Yuan Hu; J


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

THE GUIDE TO COMPUTING LITERATURE


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [firmware](#) [background](#) [update](#) [upgrade](#) [version](#)

Found 143 of 863,039

Sort results by


[Save results to a Binder](#)

Display results


[Search Tips](#)
☐ Open results in a new window

 Try an [Advanced Search](#)

 Try this search in [The Digital Library](#)

Results 1 - 20 of 143

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [next](#)

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [RFC1812: Requirements for IP Version 4 Routers](#)

June 1995 rfc, RFC Editor

 Additional Information: [full citation](#)

2 [The HP AutoRAID hierarchical storage system](#)

J. Wilkes, R. Golding, C. Staelin, T. Sullivan

 December 1995 **ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles**, Volume 29 Issue 5

Full text available: pdf(1.60 MB)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

3 [RFC1716: Towards Requirements for IP Routers](#)

P. Almquist, F. Kastenholtz

November 1994 rfc, RFC Editor

 Additional Information: [full citation](#)

4 [Middleware for mobility: Dynamically programmable and reconfigurable middleware services](#)

Manuel Roman, Nayeem Islam

 October 2004 **Proceedings of the 5th ACM/IFIP/USENIX international conference on Middleware**

Full text available: pdf(651.39 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#)

The increasing software complexity and proliferation of distributed applications for cell phones demand the introduction of middleware services to assist in the development of advanced applications. However, from the user perspective, it is essential that these new phones provide a smooth error-free experience. Despite of the complexity underlying a cell phone, placing a phone call remains a simple task that can be performed by most users regardless of their technical background. Furthermore, ce ...

5 [The HP AutoRAID hierarchical storage system](#)

John Wilkes, Richard Golding, Carl Staelin, Tim Sullivan